

## WEST Search History

[Hide Items](#) [Restore](#) [Clear](#) [Cancel](#)

DATE: Thursday, March 30, 2006

<u>Hide?</u>	<u>Set Name</u>	<u>Query</u>	<u>Hit Count</u>
<i>DB=PGPB; PLUR=YES; OP=ADJ</i>			
<input type="checkbox"/>	L1	multiplexer and broadband and allocation and scheme and tunable and decoding and receiver and frequency and block and fault.clm.	0

END OF SEARCH HISTORY

## Refine Search

---

### Search Results -

Term	Documents
BACKUP	70983
BACKUPS	4105
(22 AND BACKUP).PGPB,USPT.	0
(L22 AND BACKUP ).PGPB,USPT.	0

---

<b>Database:</b>	US Pre-Grant Publication Full-Text Database US Patents Full-Text Database US OCR Full-Text Database EPO Abstracts Database JPO Abstracts Database Derwent World Patents Index IBM Technical Disclosure Bulletins
<b>Search:</b>	<div style="border-bottom: 1px solid black; padding-bottom: 5px;"> <input type="text" value="L26"/> <span style="float: right; margin-top: -10px;"> </span> </div> <div style="display: flex; justify-content: space-between; align-items: center;"> <div style="flex-grow: 1; padding-right: 10px;"> <input style="border: none; background-color: inherit; color: inherit; font-size: inherit; padding: 0; margin: 0;" type="button" value="Recall Text"/> </div> <div style="border: 1px solid black; padding: 2px; border-radius: 5px; text-align: center;"> <input style="border: none; background-color: inherit; color: inherit; font-size: inherit; padding: 0; margin: 0;" type="button" value="Clear"/> </div> <div style="flex-grow: 1; padding-left: 10px;"> <input style="border: none; background-color: inherit; color: inherit; font-size: inherit; padding: 0; margin: 0;" type="button" value="Refine Search"/> </div> </div> <div style="display: flex; justify-content: space-between; align-items: center; margin-top: 10px;"> <div style="flex-grow: 1; padding-right: 10px;"> <input style="border: none; background-color: inherit; color: inherit; font-size: inherit; padding: 0; margin: 0;" type="button" value="Interrupt"/> </div> <div style="border: 1px solid black; padding: 2px; border-radius: 5px; text-align: center;"> <input style="border: none; background-color: inherit; color: inherit; font-size: inherit; padding: 0; margin: 0;" type="button" value="L26"/> </div> </div>

---

### Search History

---

DATE: Thursday, March 30, 2006 [Printable Copy](#) [Create Case](#)

Set Name Query  
side by side

Hit Count Set Name  
result set

*DB=PGPB,USPT; PLUR=YES; OP=ADJ*

<u>L26</u>	L22 and backup	0	<u>L26</u>
<u>L25</u>	L22 and frequency adj block	0	<u>L25</u>
<u>L24</u>	L22 and control near signal	0	<u>L24</u>
<u>L23</u>	L22 and activation	0	<u>L23</u>
<u>L22</u>	L20 and frequency	1	<u>L22</u>
<u>L21</u>	L20 and assigned near frequency	0	<u>L21</u>
<u>L20</u>	L19 and broadband	1	<u>L20</u>
<u>L19</u>	L18 and multiplexer	1	<u>L19</u>
<u>L18</u>	L15 and allocation	1	<u>L18</u>
<u>L17</u>	L15 and decoding	0	<u>L17</u>
<u>L16</u>	L15 and backup	0	<u>L16</u>

<u>L15</u>	L14 and fault	7	<u>L15</u>
<u>L14</u>	L10 and tunable near receiver	59	<u>L14</u>
<u>L13</u>	tuning near backup adj receiver	0	<u>L13</u>
<u>L12</u>	L11 and tunable	0	<u>L12</u>
<u>L11</u>	L10 and fault adj condition	77	<u>L11</u>
<u>L10</u>	plurality near receivers	9222	<u>L10</u>
<u>L9</u>	L8 and decoding and fault	0	<u>L9</u>
<u>L8</u>	L1 and activation adj control	2	<u>L8</u>
<u>L7</u>	L6 and fault	0	<u>L7</u>
<u>L6</u>	L5 and allocation	1	<u>L6</u>
<u>L5</u>	L1 and frequency adj block	2	<u>L5</u>
<u>L4</u>	L2 and frequency adj block	0	<u>L4</u>
<u>L3</u>	L2 and decoding and activation adj control	0	<u>L3</u>
<u>L2</u>	L1 and allocation adj scheme	6	<u>L2</u>
<u>L1</u>	370/535.ccls.	1074	<u>L1</u>

END OF SEARCH HISTORY